

Home Medical

CONTACT US



TELEPHONE

+86-755 2330 6292



E-MAIL

vofonn@vofonn.com



18 Years
OEM ODM JDM OBM
PROFESSIONAL MEDICAL
INDUSTRY EXPERIENCE



***FOCUS ON
YOUR HEALTH***

PRODUCT CATALOG
VOFONN GROUP/AXD CARE

CATALOG

 Company profile 1	 Fetal doppler series 34
 Digital blood pressure monitor series ... 4	 Rehab Physiotherapy Instrument 37
 Nebulizer series 15	 Humidifier 41
 Thermometer series 29	 Oxygenator concentrator 46



CERTIFICATES



FCC



FDA



CE



ISO 13485



FSC



CFDA



Medical Device Production License

COMPANY PROFILE

Vofonn Holding limited, one of the leading BPM and home medical manufacturing in China has more than 18 years.

Our factory is responsible for the production of the full chain, like mold making, mold injection, silk screen, chips production & bonding, package. Every step we can monitor and control the detail to ensure quality and reduce cost.

We also use the appearance design concept of the Xiaomi team, and the continuous optimization of the structure of the product. To really give users a good experience, we ensure that the products produced can make users like it, and have high cost-effective and stable functions.

More than 40+ R&D person, factory is with 20000 square meters, more than 100 molds, 9 automatic mold injection machines, 16 production lines, and a 3000 square meters warehouse.





Mission

- Focus on your health

Vision

- Bring health to every family

Value

- Embrace the trend. Pursuing progress while ensuring stability.
- Be altruistic and meet mutual benefits together.
- Strengthen self without stopping, dedicate without delaying.
- Customers first, employees second, shareholders third.

Mission
Focus On
Your Health



DIGITAL BLOOD PRESSURE MONITOR SERIES













18  **VOFONN**
Years
 Medical device
 manufacturing experience

VOFONN® Digital Arm Blood Pressure Monitor



Model VF-BP814

-  Voice broadcast
-  Large LED screen
-  Low voltage alert
-  Auto power off
-  Arrhythmia reminder
-  Intelligent pressurization
-  2X90 groups of memory
-  Average data display
-  WHO BP Classification



SPECIFICATIONS

Product Description	Digital arm blood pressure monitor
Model	VF-BP814
Display	LED Screen
Measurement Method	Oscillometric method
Measurement Range	Pressure: 0 to 280 mmHg 40-180 beats/min
Accuracy	Pressure: ±3mmHg
User	Two Users
Memory	Memory 90 sets each user
Power Source	4AAA size 1.5v batteries
Arm Cuff	Standard 22-32cm

VOFONN® Digital Arm Blood Pressure Monitor













SPECIFICATIONS

Product Description	Digital arm blood pressure monitor
Model	VF-BP810
Display	LCD Screen
Measurement Method	Oscillometric method
Measurement Range	Pressure: 0 to 280 mmHg 40-180 beats/min
Accuracy	Pressure: ±3mmHg
User	Two Users
Memory	Memory 90 sets each user
Power Source	4AAA size 1.5v batteries
Arm Cuff	Standard 22-32cm



Model VF-BP810

-  Voice broadcast
-  Large LCD screen
-  Low voltage alert
-  Auto power off
-  Customizable backlight
-  Arrhythmia reminder
-  Intelligent pressurization
-  2X90 groups of memory
-  Average data display
-  WHO BP Classification



VOFONN® Digital Arm Blood Pressure Monitor

Model VF-BP801



Model VF-BP802



VOFONN® Digital Arm Blood Pressure Monitor

Model VF-BP811



Model VF-BP813




Model VF-BP808



Model VF-BP809



Model VF-BP815



- Voice broadcast
- Large LCD screen
- Low voltage alert
- Auto power off
- Customizable backlight
- Arrhythmia reminder
- Intelligent pressurization
- 2X90 groups of memory
- Average data display
- WHO BP Classification

CE 0598

VOFONN® Digital Arm Blood Pressure Monitor

Model VF-BP822



Model VF-BP830



VOFONN® Digital Arm Blood Pressure Monitor

Model VF-BP838




Model VF-BP839



Model VF-BP831



Model VF-BP837



- Voice broadcast
- Large LCD/LED screen
- Low voltage alert
- Auto power off
- Customizable backlight
- Arrhythmia reminder
- Intelligent pressurization
- 2X90 groups of memory
- Average data display
- WHO BP Classification



Model VF-BP701
Sphygmomanometer



VOFONN® Wrist Blood Pressure Monitor



Model VF-BP702

- Voice broadcast
- Large LED screen
- Low voltage alert
- Auto power off
- Customizable backlight
- Arrhythmia reminder
- Intelligent pressurization
- 2X90 groups of memory
- Average data display
- WHO BP Classification



Custom Colors Available



Size



LCD Display



Type-C Socket

SPECIFICATIONS

Product Description	Wrist Electronic Blood Pressure Meter
Model	VF-BP702
Display	LCD Screen
Measurement Method	Oscillometric method
Measurement Range	Pressure: 0 to 260 mmHg 40-180 beats/min
Accuracy	Pressuer:±3mmHg
User	Two Users
Memory	Memory 90 sets each user
Power Source	2*AAA size 1.5v batteries

VOFONN® Wrist Blood Pressure Monitor


Model VF-BP703



Model VF-BP704



Model VF-BP705



- Voice broadcast
- Large LED screen
- Low voltage alert
- Auto power off
- Arrhythmia reminder
- Intelligent pressurization
- 2X90 groups of memory
- Average data display
- WHO BP Classification



Professional OEM, ODM customization

Voice




Backlight



Bag



Drawstring Bag



Storage Box



Batteries



Usb Cable



Cuff



1. Size:
Children:17-22cm
Adult :
22-32cm/22-42cm/22-48cm
2. plus material:
Nylon + non-woven fabric
3. Grey/Dark blue



NEBULIZER SERIES



VOFONN | Compressor Nebulizer



Component Storage Space



More Detail











Custom Colors Available

SPECIFICATIONS

Product Description	Medical Compressor Nebulizer
Model	VF-NB301
Power supply	AC220V 50Hz
Power	130VA
Machine noise	≤65dB
The average rate of spray	≥0.2mL/min
Working pressure rang	60KPa-130kPa
The residual liquid	≤0.7mL
Ambient temperature	normal operating conditions:5°C~40°C transport and storage: -20°C~+55°C
Relative humidity	Normal operating conditions:<80% transport and storage:<93%



Model VF-NB301

- 
Medical level
- 
Low noise
- 
Low voltage alert
- 
One Touch Start
- 
Infected parts
Easy to absorb
- 
Pediatrics
Compatible
- 
Safe and
Durable
- 
Adjustable
Steam Level

CE 0598

VOFONN® Compressor Nebulizer



Model VF-NB304

- Medical level
- Low noise
- Low voltage alert
- One Touch Start
- Infected parts Easy to absorb
- Pediatrics Compatible
- Safe and Durable
- Adjustable Steam Level



SPECIFICATIONS

Product Description	Medical Compressor Nebulizer
Model	VF-NB304
Power supply	AC220V 50Hz
Power	130VA
Machine noise	≤65dB
The average rate of spray	≥0.2mL/min
Working pressure rang	60KPa-130kPa
The residual liquid	≤0.7mL
Ambient temperature	normal operating conditions:5°C~40°C transport and storage: -20°C~+55°C
Relative humidity	Normal operating conditions:<80% transport and storage:<93%

VOFONN® Compressor Nebulizer


Model VF-NB301A



Model VF-NB301A



Model VF-NB301B



- Medical level
- Low noise
- Low voltage alert
- One Touch Start
- Infected parts Easy to absorb
- Pediatrics Compatible
- Safe and Durable
- Adjustable Steam Level



VOFONN® Compressor Nebulizer

Model VF-NB302



Model VF-NB303



Model VF-NB305



Model VF-NB306



VOFONN® Compressor Nebulizer


Model VF-NB307











Model VF-NB309



Model VF-NB310



-  Medical level
-  Low noise
-  Low voltage alert
-  One Touch Start
-  Infected parts Easy to absorb
-  Pediatrics Compatible
-  Safe and Durable
-  Adjustable Steam Level

CE 0598

VOFONN® Compressor Nebulizer

Model VF-NB311



Model VF-NB313



Model VF-NB314



Model VF-NB315




VOFONN® DC Compressor Nebulizer

Model VF-NB316



Model VF-NB317



Medical level



Low noise



Low voltage alert



One Touch Start



Infected parts Easy to absorb



Pediatrics Compatible



Safe and Durable



Adjustable Steam Level

CE 0598

VOFONN Mesh Nebulizer



Model VF-NB351

- Medical level
- Low noise
- USB Interface
- One Touch Start
- Infected parts Easy to absorb
- Pediatrics Compatible
- Safe and Durable
- No hay residuos



SPECIFICATIONS

Product Description	Mesh Nebulizer
Model	VF-NB351
Vibration Frequency	120KHz±10%
Nebulization Rate	≥0.2ml/min
Particle Size	8ml maximum, 0.5ml minimum
Medication Temperature	≤41°C
Noise	≤50dB
Power Source	Dc 3V (2"AA" Alkaline Battery) Or AC Adapter (Input: 100-240V, 50/60 Hz; Output: DC 3-5V, 1-2A)
Dimensions	45mm(L)*63mm(W)*123mm(H)

VOFONN Mesh Nebulizer

Model VF-NB352



Model VF-NB353



Model VF-NB354



- Medical level
- Low noise
- USB Interface
- One Touch Start
- Infected parts Easy to absorb
- Pediatrics Compatible
- Safe and Durable
- No hay residuos



VOFONN Mesh Nebulizer

Model VF-NB355



Model VF-NB356



VOFONN Mesh Nebulizer

Model VF-NB359



Model VF-NB360




Model VF-NB357











Model VF-NB358



Model VF-NB361



- 
Medical level
- 
Low noise
- 
USB Interface
- 
One Touch Start
- 
Infected parts Easy to absorb
- 
Pediatrics Compatible
- 
Safe and Durable
- 
Adjustable Steam Level

CE 0598

Professional OEM, ODM customization



Unadjustable Nebulizer Assembly

Children's + adult mask + cup + tube
 + mouth tube + filter cotton=Total 6Parts
 packing way: Aseptic package



Adjustable Group

A: Children's mask + cup + tube
 + mouth tube + filter cotton=Total: 5parts
 B:Children's + adult mask + cup + tube
 + mouth tube + filter cotton=Total 6parts
 packing way: Aseptic package



Europe (220-230V/50Hz)



UK (220-230V/50Hz)



USA (120V/60Hz)



DE (220V/50Hz)



BR (110-220V/60Hz)



AU (230-240V/50Hz)



TH (220V/50Hz)



IT (230V/50Hz)



ISR (220-230V/50Hz)



ISR (110V/50Hz)

Can choose

1.plug

2.Voltage/volt

The above is selected according to the country, if there is question, please contact sales

THERMOMETER SERIES



VOFONN® IR Thermometer



Buttons



Three Color Backlight



Custom colors

SPECIFICATIONS

Product Description	Infrared Thermometer
Model	VF-TP515
Resolution	Resolution
Automatic shutdown	<2min
Measurement Range	32.0 °C ~ 42.9 °C (Below 32.0 C shows "Lo" Above 42.9 C shows "Hi")
Measuring error	35.0°C~ 42.0°C:±0.2°C 32.0°C~34.9°C:±0.3°C 42.1°C~42.9°C:±0.3°C
Operating environment	10.0 °C ~ 40.0 °C (50.0 °F ~ 104.0°F). Rh < 85%
Transportation and storage conditions	-20.0°C ~ 55.0°C (- 5.0°F ~131.0°F). Rh≤ 93%
Memory function	Memory can display at least 15 measurements



Model VF-TP515



Voice broadcast



Dual temperature measurement modes



LCD Digital display



32 Groups of memory



LCD backlight



Silent mode



Forehead temperature



VOFONN® IR Thermometer

Model VF-TP522



Model VF-TP530



Model VF-TP531



Model VF-TP532
Ear Thermometer



VOFONN® IR Thermometer

Model VF-TP533



Model VF-TP534







- Voice broadcast
- Dual temperature measurement modes
- LCD Digital display
- 32 groups Of memory
- LED backlight
- Silent mode
- Forehead Temperature

CE 0598

VOFONN® Digital Thermometer

Model VF-TP202



-  One second quick measurement
-  Large screen value
-  Buzzing hint
-  Bendable soft head

Model VF-TP212



Model VF-TP213









CE 0598

FETAL DOPPLER SERIES





Model VF-FD901

- 
High Sensitivity
- 
Autocorrelation Algorithm
- 
Intelligent Noise Reduction
- 
LCD Display
- 
Removable Battery
- 
Automatic Shut-down



Custom Colors Available

SPECIFICATIONS

Product Description	Fetal Heartbeat Monitor
Model	VF-FD901
Power	DC3V(2xAA)alkaline/DC 3.7V lithium battery
Ultrasound frequency	2.0MHz, 2.5MHz and 3MHz±5%(optional)
Working temperature	5°C ~ 40 °C

Model VF-FD902









Model VF-FD904



Model VF-FD903



- 
High Sensitivity
- 
Autocorrelation Algorithm
- 
Intelligent Noise Reduction
- 
LCD Display
- 
Removable Battery
- 
Automatic Shut-down



REHAB PHYSIOTHERAPY INSTRUMENT



VOFONN | Rehab Physiotherapy Instrument




Buttons



Infrared Probe



Three Color Backlight



More Detail



Model VF-TRO1T

SPECIFICATIONS

Product Description	Multi-Functional Dual-Output Massager
Model	VF-TRO1T
Power Supply	DC 4.5V
Power	17 MA(resistance load 1K)

- Low frequency electrical pulse
- Double output
- LCD Digital display
- Light and portable
- 8 Modes
- 8 Strength levels
- Battery powered
- Timing Adjustment



VOFONN® Rehab Physiotherapy Instrument

Model VF-TR02T



Model VF-TR03T



Model VF-TR04T



Model VF-TR05T



VOFONN® Rehab Physiotherapy Instrument

Model VF-TR01R



Model VF-TR02R



Model VF-TR03R



Model VF-TR01K





HUMIDIFIER

VOFONN® Humidifier

Model VF-H01



Model VF-H02



Model VF-H03



Silent design



Humidification



Water shortage automatic stop



Energy saving and low consumption



Colorful night lights



Negative ion air purification



Air Purification

CE 0598

Model VF-H04



Model VF-H05



Model VF-H08



Model VF-H09



Model VF-H06



Model VF-H07



Model VF-H10



Silent design



Humidification



Water shortage automatic stop



Energy saving and low consumption



Colorful night lights



Negative ion air purification

CE 0598

Model VF-H11



Model VF-H13



Model VF-H12



Silent design



Humidification



Water shortage automatic stop



Energy saving and low consumption



Colorful night lights



Negative ionair purification

CE 0598

OXYGENERATOR CONCENTRATOR



VOFONN[®] Oxygenator Concentrator



Model VF-OC5L

- Large Screen Touch
- Voice
- Continuous Oxygen Production
- Flow Regulation
- Atomization Function
- SOS Function
- Fire Protection Function
- Hepa Filtration
- Anion Function
- Self Checking Function
- Fault Detection
- Safety Insurance



Custom Colors Available LED Large Screen Touch



Customizable remote controls More Detail

SPECIFICATIONS

Product Description	OXYGENERATOR
Model	VF-OC5L
power supply	220V/50HZ(60Hz) or 110V/60Hz
Input power	≤300VA(3L) ≤400VA (5L)
Noise	≤45db
Net weight	18.0kg(3L) 22.3kg(5L)
Gross weight	20.7kg(3L) 25.0kg(5L)
Body size	L369*W360*H575 (mm)

VOFONN[®] Oxygenator Concentrator

Model VF-OCIL-1



Model VF-OCIL-2



Model VF-OCIL-3



Model VF-OCIL-4

