

Product Catalog

Shenzhen Axd Electronic Co., Ltd.

Home Health

20 Years Home Health Technology

-R&D Customization

-Full Solution Marketing Services



Vision:

Let every family
enjoy the health
by technology.



CE



ISO 13485



FSC



International Certification

PRODUCT

EUROPE



CN

NMPA

AU



Australian Government

TZ



WIRELESS

EUROPE

RED

US



CANADA

IC




PACKAGE

ear



BUSINESS SOCIAL COMPLIANCE INITIATIVE





Production Process

Software Hardware
R&D



Development
Mold



Injection Molding
Machine



SMT Patch



Assemble




Production Line




100% Age Test

Our Exhibition



Product line--Focus on Home Care

Bring health to every family





Warranty
2year



Low
voltage alert



WHO
classification

Upper Arm Digital Blood Pressure Monitor

LED

AXD-BP860 **New**

- + One key to measure
- + Type-c port
- + Body movement
- + Cuff detection
- + Irregular heartbeat (IHB)
- + Voice broadcast



Pulse



Blood
pressure



Arrhythmia



Two User
Mode

Measurement method	oscillographic method	Accuracy	±3mmHg/+0.4kPa(blood pressure),±5%(pulse)
Measurement range	0-290mmHg (0-39kPa)	Power supply	500mAh Lithium Batthery
Memory	2 User*120 group	Auto power-off	120s no-operation

**NEW
ARRIVAL**

Bring health to every family



Digital Arm Blood Pressure Monitor

AXD-BP002

New

NEW

- + One key to measure
- + Type-c port
- + Body movement
- + Cuff detection
- + Irregular heartbeat (IHB)
- + Voice broadcast



Pulse



Blood
pressure



Arrhythmia



Two User
Mode

Measurement method	oscillographic method	Accuracy	±3mmHg/+0.4kPa(blood pressure),±5%(pulse)
Measurement range	0-290mmHg (0-39kPa)	Power supply	500mAh Lithium Batthery
Memory	2 User*120 group	Auto power-off	120s no-operation

AXD-BP002

**NEW
ARRIVAL**

Bring health to every family



Digital Arm Blood Pressure Monitor

AXD-BP005

New

NEW

- + One key to measure
- + Type-c port
- + Body movement
- + Cuff detection
- + Irregular heartbeat (IHB)
- + Voice broadcast



Pulse



Blood
pressure



Arrhythmia



Two User
Mode

Measurement method	oscillographic method	Accuracy	±3mmHg/+0.4kPa(blood pressure),±5%(pulse)
Measurement range	0-290mmHg (0-39kPa)	Power supply	500mAh Lithium Batthery
Memory	2 User*120 group	Auto power-off	120s no-operation

AXD-BP005 LCD & LED



New



Anti-vibration foot pad
multiple noise reduction

Noise ≤ 65 dB

Digital Timing Nebulizer



Touch LCD screen



Median particle size $3.5\mu\text{m} \pm 25\%$

The nebulizer is suitable for the treatment of various respiratory diseases



High atomization capabilities

- Residual amount $\leq 0.8\text{mL}$
- Output gas flow $> 0.3\text{ML/Min}$
- Power supply 12v 1.0A Max
- Median particle size $3.5\mu\text{m} \pm 25\%$
- Working $\leq 65\text{dB(A)}$
- Power 130 va



New



Noise ≤ 65 dB



Touch LCD screen

- **Residual amount**
≤ 0.8mL
- **Output gas flow**
> 0.3ML/Min
- **Power supply**
12v 1.0A Max
- **Median particle size**
3.5um ± 25%
- **Working**
≤ 30dB(A)
- **Power**
130 va

AXOCARE

AXOCARE



New



- **Residual amount**
≤0.8mL
- **Output gas flow**
>0.3ML/Min
- **Power supply**
12v 1.0A Max
- **Median particle size**
3.5um ± 25%
- **Working**
≤30dB(A)
- **Power**
130 va



New



- **Residual amount**
≤0.8mL
- **Output gas flow**
>0.3ML/Min
- **Power supply**
12v 1.0A Max
- **Median particle size**
3.5um ± 25%
- **Working**
≤30dB(A)
- **Power**
130 va

Bring health to every family



New



- **Residual amount**
≤0.8mL
- **Output gas flow**
>0.3ML/Min
- **Power supply**
12v 1.0A Max
- **Median particle size**
3.5um ± 25%
- **Working**
≤30dB(A)
- **Power**
130 va

Bring health to every family



New



Technical Features

- Power Supply: AC220V/110V, 50/60Hz
- Extreme Pressure: ≥ 2.1 bar
- Power: 130VA
- Free Flow: ≥ 8 L/min
- Nebulizing Rate: ≥ 0.2 ml/min
- MMAD: $\leq 1-5$ μ m
- FPF: $\geq 60\%$
- Noise Level: ≤ 65 dB
- Max capacity of nebulizer kit: 10 mL
- The residaul liquid: $0.7 \leq \text{mL}$
- Motor life: 2000 hours, continues works 8h



Technical Features

- Power Supply: AC220V/110V, 50/60Hz
- Extreme Pressure: ≥ 2.1 bar
- Power: 130VA
- Free Flow: ≥ 8 L/min
- Nebulizing Rate: ≥ 0.2 ml/min
- MMAD: $\leq 1-5$ μ m
- FPF: $\geq 60\%$
- Noise Level: ≤ 65 dB
- Max capacity of nebulizer kit: 10 mL
- The residaul liquid: $0.7 \leq \text{mL}$
- Motor life: 2000 hours, continues works 8h



AXD-NB107



AXD-NB108



AXD-NB109



AXD-NB110



AXD-NB111



AXD-NB112



AXD-NB113



AXD-NB115

**NEW
ARRIVAL**



Bring health to every family

NEW
ARRIVAL



Bring health to every family

NEW TENS

**NEW
ARRIVAL**



Digital Arm Blood Pressure Monitor

AXD-BP001&BP003

New

NEW

- + One key to measure
- + Type-c port
- + Body movement
- + Cuff detection
- + Irregular heartbeat (IHB)
- + Voice broadcast



Pulse



Blood pressure



Arrhythmia



Two User Mode

Bring health to every family



Measurement method	oscillographic method	Accuracy	±3mmHg/+0.4kPa(blood pressure),±5%(pulse)
Measurement range	0-290mmHg (0-39kPa)	Power supply	500mAh Lithium Batthery
Memory	2 User*120 group	Auto power-off	120s no-operation

AXD-BP001 & BP003



BLOOD PRESSURE MONITOR

Our Blood Pressure Monitor is available in both upper arm and wrist models, providing flexibility to our customers. The arm-style blood pressure monitor features a comfortable cuff and accurate readings, making it suitable for daily monitoring at home or in medical settings. On the other hand, the wrist-style blood pressure monitor offers a compact and portable design, allowing users to monitor their blood pressure on the go.

In addition to our diverse range of models, we offer OEM and ODM services to meet the specific requirements of our customers. Our strong manufacturing capabilities enable us to provide customized blood pressure monitors under different brand names. Whether you are a healthcare professional seeking reliable blood pressure monitors for your patients or a business looking to launch your own brand of blood pressure monitors, our Blood Pressure Monitor is an ideal choice.

Choose our Blood Pressure Monitor for accurate measurements, intuitive design, and the freedom to customize according to your branding needs.

AXD-BP826

AXD-BP867



- Compact blood pressure monitor
- Irregular heartbeat indicator
- 3 buttons and 1 switch for users selection
- Voice switch
- Last MEM display
- Body & cuff movement indicator

Dimension: 10*111*73mm

LCD V.A.: 90*85mm

Power source: 1000mAh Lithium battery or 5VA Type-C USB Cable

Cuff size: 22-32/22-42cm



2 Users x 90



BP classification indicator



Movement indicator



Average of last 3 values



Irregular heartbeat indicator



Touch key



Voice Announcement



Backlight



Cuff fit indicator

AXD-BP801A & AXD-BP803A



- Compact blood pressure monitor
- Irregular heartbeat indicator
- 3 buttons and 1 switch for users selection
- Voice switch
- Last MEM display
- Body & cuff movement indicator
- AFib (Atrial fibrillation) function

Dimension: 158*125*85mm

LCD V.A.: 93*60mm

Power source: 4xAA or 5VA Type-C USB Cable


Cuff size: 22-32/22-42cm



AXD-BP826A



AXD-BP867A



AXD-BP814

Hot 🔥



- Compact blood pressure monitor
- Cuff fit indicator
- Movement indicator
- Irregular heartbeat indicator
- 3 buttons and 1 switch for users selection


Dimension: 94*122*72mm

LED V.A.: 56.8*74.8mm

Power source: 4xAAA or 5VA Type-C USB Cable

Cuff size: 22-32/22-42cm

Power supply: 4*AAA batteries



New



Digital Arm Blood Pressure Monitor

AXD-BP822

Bluetooth®

LED

- Compact blood pressure monitor
- Cuff fit indicator
- Movement indicator
- Irregular heartbeat indicator
- 3 buttons and 1 switch for users selection

Dimension: 99*144*85mm

LED V.A.: 90*126mm

Power source: 5VA Type-C USB Cable

Cuff size: 22-32/22-42cm

Power supply: 800mAh Lithium battery

Bluetooth®



2 Users x 90



BP classification indicator



Movement indicator



Average of last 3 values



Irregular heartbeat indicator



Touch key



Voice Announcement



Bluetooth

Optional

Bring health to every family



AXD-BP822

AXD-BP830



- Compact blood pressure monitor
- Cuff fit indicator
- Movement indicator
- Irregular heartbeat indicator
- 3 buttons and 1 switch for users selection

Dimension: 90.5*154*115mm

LED V.A.: 80*100mm

Power source: 5VA Type-C USB Cable

Cuff size: 22-32/22-42cm

Power supply: 800mAh Lithium battery



2 Users x 90



BP classification indicator



Movement indicator



Average of last 3 values



Irregular heartbeat indicator



Touch key



Voice Announcement

AXD-BP801



- Compact blood pressure monitor
- Irregular heartbeat indicator
- 3 buttons and 1 switch for users selection
- Voice switch

Dimension: 158*125*85mm

LCD V.A.: 93*60mm

Power source: 4xAAA or 5VA Type-C USB Cable

Cuff size:22-32/22-42cm



2 Users x 90



BP classification indicator



Voice Announcement



Average of last 3 values



Irregular heartbeat indicator



Touch key



Backlight

New

Bring health to every family

AXD-BP803



- Compact blood pressure monitor
- Irregular heartbeat indicator
- 3 buttons and 1 switch for users selection
- Voice switch

Dimension: 158*125*85mm

LCD V.A.: 75*86mm

Power source: 4xAA or 5VA Type-C USB Cable

Cuff size:22-32/22-42cm



2 Users x 90



BP classification
indicator



Voice
Announcement



Average of last
3 values



Irregular heartbeat
indicator



Touch key



Backlight

New

AXD-BP809



- Compact blood pressure monitor
- Cuff fit indicator
- Movement indicator
- Irregular heartbeat indicator
- 3 buttons, and 1 switch for users selection

Dimension: 115*93*64mm

Power source: 4xAAA or 5VA Type-C USB Cable

Cuff size: 22-32/22-42cm

Backlight: ◆ ◆ ◆



2 Users x 90



BP classification indicator



Voice Announcement Indicator



Average of last 3 values



Irregular heartbeat indicator



Touch key



Backlight



AXD-BP808

Hot 



Compact blood pressure monitor

- Cuff fit indicator
- Movement indicator
- Irregular heartbeat indicator
- 3 buttons, and 1 switch for users selection


Dimension: 134*101*64mm

LCD VA.: 60.3*50.3mm

Power source: 4xAAA or 5VA Type-C USB Cable

Cuff size: 22-32/22-42cm

Backlight:   



AXD-BP811

Hot 🔥



Compact blood pressure monitor

- Cuff fit indicator
- Movement indicator
- Irregular heartbeat indicator
- 3 buttons, and 1 switch for users selection

Dimension: 134*101*64mm

LCD VA.: 60.3*50.3mm

Power source: 4xAAA or 5VA Type-C USB Cable

Cuff size: 22-32/22-42cm

Backlight: ◆ ◆ ◆


Bring health to every family



2 Users x 90



BP classification indicator



Voice Announcement indicator



Average of last 3 values



Irregular heartbeat indicator



Touch key



Backlight

Hot 



AXD-BP812

Compact blood pressure monitor

- Cuff fit indicator
- Movement indicator
- Irregular heartbeat indicator
- 3 buttons, and 1 switch for users selection

Dimension: 134*101*64mm

LCD VA.: 60.3*50.3mm

Power source: 4xAAA or 5VA Type-C USB Cable

Cuff size: 22-32/22-42cm

Backlight:   



2 Users x 90



BP classification indicator



Voice Announcement indicator



Average of last 3 values



Irregular heartbeat indicator



Touch key



Backlight

New

AXD-BP816

Hot 🔥



Compact blood pressure monitor

- Cuff fit indicator
- Movement indicator
- Irregular heartbeat indicator
- 3 buttons, and 1 switch for users selection

Dimension: 134*101*64mm

LCD VA.: 60.3*50.3mm

Power source: 4xAAA or 5VA Type-C USB Cable

Cuff size: 22-32/22-42cm

Backlight: ◆ ◆ ◆

Bring health to every family



2 Users x 90



BP classification indicator



Voice Announcement indicator



Average of last 3 values



Irregular heartbeat indicator



Touch key



Backlight

AXD-BP605

- BP classification indicator
- Irregular heartbeat indicator
- Average of last 3 values
- Position sensor detection

Dimension: 92*65*28mm

LCD V.A.: 37.2*45mm

Power source: 2xAAA batteries or 5VA Type-C USB Cable

Cuff size: 13.5-21.5cm

Bring health to every family

AXD-BP605



AXD-BP601



- Irregular heartbeat indicator
- BP classification indicator
- Average of last 3 values
- Position sensor detection

Dimension: 85x60x23mm

LED V.A.: 43x46mm

Power source: [Rechargeable battery](#) or 5VA

Type-C USB Cable

Cuff size: 13.5-21.5cm



2 Users×90



BP classification indicator



Movement indicator



Average of last 3 values



Irregular heartbeat indicator



Touch key



Voice Announcement



NEBUZLIZER

Our range of ultrasonic nebulizers sets the standard for consistent and efficient inhalation therapy. With advanced technology and precise inhalation control, these nebulizers deliver fine mist particles, ensuring optimal medication delivery and improved patient outcomes. The compact design and user-friendly interface make them suitable for both home and clinical settings.

Designed with convenience in mind, our handheld nebulizers offer on-the-go respiratory relief. These compact and lightweight devices provide quick and effective mist inhalation, enabling patients to maintain their active lifestyle while managing their respiratory conditions. Our handheld nebulizers boast long battery life and ease of use, making them an ideal solution for patients of all ages.

Our compressor nebulizers are renowned for their durability, reliability, and efficient aerosol therapy delivery. These powerful devices are suitable for continuous use, ensuring dependable mist generation for extended treatment periods. Featuring a robust design and precise medication dosage control, our compressor nebulizers are trusted by healthcare professionals worldwide.

Medical Compressor Nebulizer

Technical Features

- Power Supply: AC220V/110V, 50/60Hz
- Extreme Pressure: ≥ 2.1 bar
- Power: 130VA
- Free Flow: ≥ 8 L/min
- Nebulizing Rate: ≥ 0.2 ml/min
- MMAD: $\leq 1-5$ μ m
- FPF: $\geq 60\%$
- Noise Level: ≤ 65 dB
- Max capacity of nebulizer kit: 10 mL
- The residaul liquid: $0.7 \leq \text{mL}$
- Motor life: 2000 hours, continues works 8h



Low Nosie



2000+
Service Life



Integrated
Handle



Cable Storage
Case



Storage
compartment



AXD-NB301



AXD-NB301A



AXD-NB301B



AXD-NB301C



Medical Compressor Nebulizer

Technical Features0

- Power Supply: AC220V/110V, 50/60Hz
- Extreme Pressure: ≥ 2.1 bar
- Power: 130VA
- Free Flow: ≥ 8 L/min
- Nebulizing Rate: ≥ 0.2 ml/min
- MMAD: $\leq 1-5$ μ m
- FPF: $\geq 60\%$
- Noise Level: ≤ 65 dB
- Max capacity of nebulizer kit: 10 mL
- The residaul liquid: $0.7 \leq \text{mL}$
- Motor life: 2000 hours, continues works 8h



Low Nosie



2000+
Service Life



Integrated
Handle



Cable Storage
Case



Storage
compartment



AXD-NB304



AXD-NB313



Medical Compressor Nebulizer

Technical Features

- Power Supply: AC220V/110V, 50/60Hz
- Extreme Pressure: ≥ 2.1 bar
- Power: 130VA
- Free Flow: ≥ 8 L/min
- Nebulizing Rate: ≥ 0.2 ml/min
- MMAD: $\leq 1-5$ μ m
- FPF: $\geq 60\%$
- Noise Level: ≤ 65 dB
- Max capacity of nebulizer kit: 10 mL
- The residaul liquid: $0.7 \leq \text{mL}$
- Motor life: 2000 hours, continues works 8h



Low Noise



2000+
Service Life



Integrated
Handle



Cable Storage
Case



Storage
compartment




AXD-NB307



AXD-NB309



AXD-NB314



≤ 60 dB IS QUIETER ALL DAY



NO.1

Adjustable atomization

Multifusiform particle size 5 microns

NO.2

High efficiency oil free plunger pump

Oil-free PlsToN PUMP 80%

Life improvement

Cop per wire

NO.3

The noise reduction treatment allows the whole family to enjoy comfortable atomization treatment.

LOW NOISE Less than 60 decibels.

**NEW
ARRIVAL**



AXD-NB801



**Medical
Nebulizer**



**Low noise design
quiet & portable**



**Fine
Particles**



**Warranty
2year**



**U-shaped groove
Reduce waste
Liquid Medicine**



**Independent
components
easy washing**



AXD-NB802

Mesh Nebulizer

Applicable to the treatment of various respiratory diseases.
PORTABLE NEBULIZER Let you breathe treatment anytime,anywhere.
VERY SILENT Your baby can sleep while nebulizing



Mesh Nebulizer



AXD-NB103



AXD-NB106



Ultra-quiet



Fine particles



Lightweight and portable



Medical grade



One key operation



Gentle fog



USB interface



Two ways of inhalation



New



AXD-NB101



AXD-NB102







AXD-NB105



AXD-NB104

Three Atomization Rates





**NEW
ARRIVAL**



AXD-DT201S

8S

$\pm 0.1^{\circ}\text{C}$

**High-precision
measurement:
Accurate to $\pm 0.1^{\circ}\text{C}$**



**Large screen
display**

New



AXD-DT203S

30S



**Multi-site measurement:
Oral, axillary and rectal
temperature**



**Automatic
shutdown**



**Fever reminder:
Beep or display
specific symbols**



**Waterproof
design**



AXD-DT202S



DIGITAL THERMOMETER



Water
Resistant



Beeper
Alarm



Last
Memory



Accuracy



Technical Features	201A	201B	201C	202	203A	203B	203C	201D	205
-Beeper alarm when peak temperature reached	✓	✓	✓	✓	✓	✓	✓	✓	✓
- Last reading Memory display	✓	✓	✓	✓	✓	✓	✓	✓	✓
- Auto shut-off function	✓	✓	✓	✓	✓	✓	✓	✓	✓
- Low voltage warning	✓	✓	✓	✓	✓	✓	✓	✓	✓
- ± 0.1°C/0.2°F accuracy and fast response	✓	✓	✓					✓	
- ± 0.05°C/0.1°F accuracy and fast response				✓	✓	✓	✓		✓
- Easy to read 3 1/2 digital display	✓	✓			✓	✓	✓	✓	
- Easy to read 4 1/2 digital display				✓					✓
- Bigger LCD Screen									✓
- Water resistant				✓	✓	✓	✓	✓	✓
- Flexible tip			✓	✓	✓	✓	✓	✓	
- Backlight									✓
- Measurement time (reference only, it differs from people to people): 60+10 seconds in oral,100+20 seconds underarm. - The color is optional.									

Bring health to every family

Infrared thermometer



AXD-IF520

- 32 sets of memories
- Measures instantly in 1 second
- High-accuracy ± 0.2
- $^{\circ}\text{C}/^{\circ}\text{F}$ Reading
- Multiple uses
- High temperature alarm
- Back light display
- Automatic shutdown features



AXD-IF522




AXD-IF521

Body Scale

New



AXD-SC602



AXD-SC701

Humidifier

Bring health to every family

2L



AXD-VF103

New

3L



AXD-VF101

3L



AXD-VF102

Bubble Air Mattress



Box Size(mm)	Carton Size(cm)
280*170*200	35.5*29.5*42
PCS/CTN	KG/CTN
4	13.5KG/12.5KG



Model: AXD-AIR102

Box Size(mm)	Carton Size(cm)
280*170*190	35.5*29.5*40
PCS/CTN	KG/CTN
4	12.5/11.5KG

Pump Specification:

- Voltage: AC 220/230V/110V
- Frequency: 50Hz/60Hz
- Power: 10W
- Pressure range: 15–20kPa (115–150mmHg)
- Air output: 5.0–5.5L/min
- Cycle time: 10–15 min



Size: 19.5X11X8.5cm
Weight: 0.85Kgs

Size: 21.5X12X8cm
Weight: 1.0Kgs



Mattress Specification: (Bubble Type)

- Material: PVC 3PLY
- Thickness: 0.3–0.4mm
- Size: 200*90*7cm(inflated)
- Cell No.: 130pcs

Strip Air Mattress

Model: ▶AXD-AIR101

Box Size(mm)	Carton Size(cm)
370*190*250	40*38*51
PCS/CTN	KG/CTN
4	17/18KG



Mattress Specification: (Tube Type)

- Material: NYLON COATED PVC
- Thickness: 0.3mm–0.4mm
- Size: 185*83*6.5cm(inflated)
- 200CM*90cm (deflate)
- Tube No.: 22 pcs

Pump Specification:

- Size: 21.5X12X8cm
- Weight: 1.0kgs
- Voltage: AC 220/230V/110V
- Frequency: 50Hz/60Hz
- Power: 10W
- Pressure range: 15–20kPa (115–150mmHg)
- Air output: 5.0–5.5L/min Cycle time: 10–15 min



Strip Air Mattress
(With Toilet Hole Type)



Strip Air Mattress
(With Toilet Hole Type)



Strip Air Mattress
(With CPR Type)

Shenzhen Axd Electronic Co., Ltd.

Bring health to every family

